4-29-2021

# Solving Parabolic Interface problems with a Finite Element Method

Henry Brown
*West Chester University of Pennsylvania*

# Solving Parabolic Interface Problems with a Finite Element Method

Henry Brown

**WCU Research & Creative Activity Day**

4-29-2021



# Parabolic Interface PDEs

- Defined on a which is split by an interface.
- Solutions may be discontinuous over the interface.

$$\frac{\partial u}{\partial t} = \nabla \cdot (\alpha \nabla u) + f,\ x \in \Omega$$

$$u = g_D, x \in \partial\Omega_D$$

$$\alpha\frac{\partial u}{\partial n} = g_N,\ x \in \partial\Omega_N$$

$$[u] = u^+ - u^- = \phi,\ x \in \Gamma$$

$$[\alpha\frac{\partial u}{\partial n}] = \alpha^+\frac{\partial u^+}{\partial n} - \alpha^-\frac{\partial u^-}{\partial n} = \psi,\ x \in \Gamma$$



# Why Computational Methods?

Difficultly/impossibility of finding closed form analytical solutions



Handle a varying array problems without added complexity

These methods have proven error bounds and convergence

# Finite Element Methods (FEMs)

- Can use non-uniform meshes
- Piecewise polynomials over the elements using basis functions
- Projection theorems ensure that FEM finds the best approximation in the function space



# Discontinuous Galerkin (DG) FEMs

- Allows for discontinuity over element boundaries
- Broken piecewise polynomials over the elements
- A natural means to apply the jump conditions in the parabolic interface problems



# Creating a Conforming Triangulation

- Triangulation which conforms to the interface
- Triangulation can be refined, which gives room more accurate solution



# First Test Problem (Starfish)

- Zero if not in the star
- Piecewise source term
- Initial Condition (Right)






# Issues with the Test Problem

- Sinking behavior
- Trouble with the center





# Changing the Test Problem

- Less complex geometry
- Initial Condition (Right)






# Stability and Over-Penalizing the Interface



Penalty: 800



Penalty: 8000



Penalty: 80000



Penalty: 800000



Penalty: 8000000



Penalty: $8 \times 10^{13}$

# Penalty Dependence on Mesh




Density: 300




Density: 600

- Penalty: 800000
- Optimally, no dependence on mesh

# Elliptic Problem Over Mesh Refinement

- Keeps shape of exact solution
- Error around interface does not diminish
- Not optimal with Over-penalizing



# Solving the Interfaced Heat Equation

- Sufficiently small time step
- Oscillation for larger time steps
- Stable in time without over-penalizing








Approximation and Error Plots

# Discussion

- Method works for interface conditions equal to zero
- No success with non-zero interface conditions
- Over-penalizing required due to triangulation orientation
- Non-zero interface conditions (WG FEM, DDG FEM)

# Acknowledgements

- Dr. Andreas Aristotelous
- Dr. Chuan Li

# Questions?